

**Elisabeth Braumann, M.A.**Tel.: +49 5481 14-2929 · Fax: +49 5481 14-3355
elisabeth.braumann@wuh-group.com**Dipl.-Ing. Ulrich Stienecker**Tel.: +49 5481 14-2412 · Fax: +49 5481 14-2680
ulrich.stienecker@wuh-group.com

November 2011 - Code-No. 10'11

Increased Outputs with New Air Ring Retrofits from W&H

W&H extrusion retrofits compatible with blown film lines from other manufacturers

Increased output and better quality at a reasonable price is a goal of every blown film manufacturer. Our experience at Windmüller & Hölscher is that it's not always necessary to invest in a new line in order to achieve higher output levels. Often retrofitting an existing machine is all that's needed. Experts in W&H's Retrofits Department specialize in modernizing existing equipment, for example retrofitting a blown film line with the latest air ring technology. Since the opening of the department in 2008, W&H has performed more than 400 retrofits on a wide range of equipment.


Optimal cooling is crucial for increasing output on a blown film line. For this, the OPTICOOL air ring retrofit is an ideal solution. Compared to standard dual air rings, the OPTICOOL offers a significant increase in production and improves film tolerance and quality. This results in better smoothness for downstream processing as well as less scrap. Other advantages of retrofits include increased ease of handling and line flexibility. W&H's high performance air rings can also be retrofitted onto blown film lines from other manufacturers, however, depending upon the line's requirements, either the OPTICOOL or MULTICOOL retrofit packages would be applicable.



In addition to retrofits, W&H can also upgrade existing W&H air rings with the „MULTICOOL High Performance Package.“

In addition to air rings, W&H offers a wide range of retrofit solutions that can help improve the performance of blown film lines, from extruder- and screw technology to new and improved die design. For detailed information about W&H's range of extrusion retrofit products, visit the extrusion section of our website www.wuh-group.com.

Windmüller & Hölscher is an international leader in the design, manufacture and distribution of machinery for the flexible packaging industry and is based in Lengerich, Germany. The product range includes flexographic and gravure printing presses, blown and cast film extrusion systems, multiwall equipment, plastic sack and bag making machines as well as form-fill-seal machinery.



PR 1287:

W&H's OPTICOOOL air ring retrofits not only significantly increase output, but also improve film quality.



This release can be downloaded as in .doc or .pdf format at:

<http://www.wuh-group.com/en/pr/pr/index.html>

Contacts:

Elisabeth Braumann, M.A.

Tel.: +49 5481 14-2929 • Fax: +49 5481 14-3355

elisabeth.braumann@wuh-group.com

Dipl.-Ing. Ulrich Stienecker

Tel.: +49 5481 14-2412 • Fax: +49 5481 14-2680

ulrich.stienecker@wuh-group.com